

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S80	5	(originator near exchange near identifier) and (receiver near exchange near identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:04
S81	0	(originator near (identifier or id)) and (receiver near (identifier or id)) and ("OX_ID" or "(RX_ID"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:10
S82	3	(originator near2 (identifier or id)) and (receiver near2 (identifier or id)) and ("OX_ID" or "(RX_ID"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:10
S83	2	(originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id)) and ("OX_ID" or "(RX_ID"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:17
S84	15431	((originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:18
S85	15431	((originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:19

S86	2	(originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id)) and ("OX_ID" or "RX_ID")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:19
S87	15431	(originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id)) or ("OX_ID" or "RX_ID")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:20
S88	3	(originator near (exchange or (identifier or id))) and (receiver near (exchange or (identifier or id))) and ("OX_ID" or "RX_ID")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:41
S89	3	(originator near (exchange or (identifier or id))) and (receiver near (exchange or (identifier or id))) and ("OX_ID" or "RX_ID" or "RX_ID" or "OX_ID")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:42
S90	10980	707/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:43
S91	1	707/10.ccls. and (((originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id))) or ("OX_ID" or "RX_ID"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:43

S92	3	370/252.ccls. and (((originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id)))) or (("OX_ID" or "RX_ID")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:44
S93	35	"370"/\$.ccls. and (((originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id)))) or (("OX_ID" or "RX_ID")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:50
S94	3	header with (modif\$5 or replac\$3 or chang\$3) with (((originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id)))) or (("OX_ID" or "RX_ID")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 10:54
S95	3	header with (modif\$5 or replac\$3 or chang\$3 or alter\$3) with (((originator near exchange near (identifier or id)) and (receiver near exchange near (identifier or id)))) or (("OX_ID" or "RX_ID")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 11:18
S96	8	header with (modif\$5 or replac\$3 or chang\$3 or alter\$3) with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 11:35

S97	9	370/392.ccls. and (modif\$5 or replac\$3 or chang\$3 or alter\$3) with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:50
S98	0	710/5.ccls. and (modif\$5 or replac\$3 or chang\$3 or alter\$3) with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:51
S99	1655	710/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:51
S100	5	"707"/\$.ccls. and (modif\$5 or replac\$3 or chang\$3 or alter\$3) with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:55
S101	1	707/10.ccls. and (modif\$5 or replac\$3 or chang\$3 or alter\$3) with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:56
S102	5921	370/252.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:56

S103	6608	370/392.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:56
S104	1	"710"/\$.ccls. and (modif \$5 or replac\$3 or chang \$3 or alter\$3) with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:57
S105	13	710/5.ccls. and (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:59
S106	0	710/5.ccls. and redirect \$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:01
S107	6	710/5.ccls. and direct \$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:01
S108	0	710/5.ccls. and chang \$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:01

S109	3	370/392,252.ccls. and direct\$3 with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:03
S110	46	header with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)")) with (sequence\$3 or track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:06
S111	0	S110 and (modif\$5 or replac\$3 or chang\$3 or alter\$3) with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:07
S112	44	S110 and (modif\$5 or replac\$3 or chang\$3 or alter\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:07
S113	13	S110 and (modif\$5 or replac\$3 or chang\$3 or alter\$3 or direct\$3 or redirect\$3) with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:09
S114	2	"20050117522"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:27

S115	0	S114 and chang\$3 with modif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:29
S116	0	S114 and (chang\$3 or modif\$6) with "OX_ID" with "RX_ID"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:33
S117	0	S114 and (chang\$3 or modif\$5) with "OX_ID" with "RX_ID"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:33
S118	0	S114 and (chang\$3 or modif\$7) with "OX_ID" with "RX_ID"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:34
S119	0	S114 and (chang\$3 or modif\$7) with "OX_ID"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 13:34

2/18/2010 2:54:02 PM

C:\Documents and Settings\eunelus\My Documents\ EAST\ Workspaces\ 10726269updated3.  
wsp